



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (GoI)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question1: The content of the course included all the topics as prescribed by the regulatory bodies

Strongly agree	Agree	Not Sure	Disagree	No
4	6	1	0	0



Report:

A majority of staff members expressed a positive opinion regarding course content, with **36% strongly agreeing** and **55% agreeing** that the course includes all topics prescribed by the regulatory bodies. However, **9% of respondents were not sure**, indicating a need for clearer communication or documentation on regulatory compliance. No negative responses were reported, reflecting overall confidence in the course structure.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question2: The topics covered during the course helped the students to keep themselves updated with recent advances

Strongly agree	Agree	Not Sure	Disagree	No
5	5	0	1	0



Report:

Most staff members (91%) felt that the topics covered during the course helped students to keep themselves updated with recent advances, with **5 staff strongly agreeing** and **5 agreeing**. However, **1 staff member (9%) disagreed**, indicating a need for minor improvements in incorporating recent advancements. No staff expressed uncertainty or complete dissatisfaction.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESERCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question3: The course content is subdivided into must to know,nice to know, good to know categories

Strongly agree	Agree	Not Sure	Yes	No
6	5	0	0	0



Report:

All staff members expressed a positive opinion that the course content is appropriately subdivided into **must-to-know, nice-to-know, and good-to-know categories**, with **6 staff strongly agreeing** and **5 agreeing**. No staff members expressed uncertainty or disagreement, indicating complete acceptance of this structured approach to course content organization.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question4: Was adequate training provided in terms of curriculum implementation/review?

Strongly agree	Agree	Not Sure	Yes	No
5	5	1	0	0



Report:

Most staff members (91%) felt that adequate training was provided in terms of curriculum implementation and review, with **5 staff strongly agreeing** and **5 agreeing**. However, **1 staff member (9%) was not sure**, indicating a need for clearer communication or additional orientation regarding curriculum-related training. No staff members disagreed or expressed dissatisfaction.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (GoI)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in>. <http://www.kledeemeduniversity.edu.in>.

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question5: Is the infrastructure adequate for the implementation of the course || Library

Strongly agree	Agree	Not Sure	Yes	No
11	0	0	0	0



Report:

All staff members (100%) strongly agreed that the **library infrastructure is adequate for the implementation of the course**. No neutral or negative responses were recorded, indicating complete satisfaction with the library facilities and their support for effective course delivery.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (GoI)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question6: Is the infrastructure adequate for the implementation of the course || Practical halls/labs

Strongly agree	Agree	Not Sure	Yes	No
11	0	0	0	0



Report:

All staff members (100%) strongly agreed that the practical halls and laboratories are adequate for the implementation of the course. No neutral or negative responses were recorded, indicating complete satisfaction with the available infrastructure and its effectiveness in supporting practical and laboratory-based teaching.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in>, <http://www.kledeemeduniversity.edu.in>.

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question7: Is the infrastructure adequate for the implementation of the course | | Mannequins

Strongly agree	Agree	Not Sure	Yes	No
5	0	0	0	6



Report:

Staff feedback indicates mixed perceptions regarding the adequacy of **mannequins** for course implementation. While **5 staff members (45%) strongly agreed** that the available mannequins are adequate, a significant proportion **6 staff members (55%) responded negatively**, indicating inadequacy. This highlights a clear need for reviewing the availability, quality, or quantity of mannequins and taking corrective measures to better support practical training.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESERCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (GoI)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question8: Is the infrastructure adequate for the implementation of the course | |Simulation lab

Strongly agree	Agree	Not Sure	Yes	No
6	0	0	0	5



Report:

Staff feedback shows a divided opinion regarding the adequacy of the **simulation laboratory** for course implementation. While **6 staff members (55%) strongly agreed** that the simulation lab is adequate, **5 staff members (45%) expressed negative responses**, indicating concerns about its adequacy. This suggests the need to review and strengthen simulation lab facilities to ensure effective support for teaching and learning activities.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question9: Is the infrastructure adequate for the implementation of the course || Studio for lecture recording

Strongly agree	Agree	Not Sure	Yes	No
11	0	0	0	0



Report:

All staff members (100%) strongly agreed that the **studio for lecture recording is adequate for the implementation of the course**. No neutral or negative responses were recorded, indicating complete satisfaction with the availability and suitability of the studio facilities for academic use.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (GoI)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question10: Is the infrastructure adequate for the implementation of the course | Facility for online teaching

Strongly agree	Agree	Not Sure	Yes	No
6	0	0	0	5



Report:

Staff responses indicate varied perceptions regarding the adequacy of **facilities for online teaching**. While **6 staff members (55%) strongly agreed** that the facilities are adequate, **5 staff members (45%) expressed negative responses**, indicating concerns about effectiveness or availability.



KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question11: Is the infrastructure adequate for the implementation of the course | | Software€™s for lecture capturing and sharing

Strongly agree	Agree	Not Sure	Yes	No
11	0	0	0	0



Report:

All staff members (100%) strongly agreed that the **software for lecture capturing and sharing is adequate for the implementation of the course**. No neutral or negative responses were recorded





KLE COLLEGE OF PHYSIOTHERAPY KLE ACADEMY OF HIGHER EDUCATION AND RESEARCH

(Formerly Known as KLE University)

(Deemed to be University Established U/s 3 of the UGC Act. 1956)

Accredited "A" grade by NAAC (3rd Cycle) Placed in category a by MoE (Gol)

Prerana Residential PU College Campus, Near Kundgol Cross, Kotagondhunshi, Hubballi-580028 (At. Post : Adargunchi)


Website : <http://www.kcpt.kaher.edu.in> <http://www.kledeemeduniversity.edu.in>

E-mail : principalbpthbl@kledeemeduniversity.edu.in

STAFF FEEDBACK ANALYSIS

Question12: Is the infrastructure adequate for the implementation of the course || Advanced equipments for Teaching-Learning

Strongly agree	Agree	Not Sure	Yes	No
11	0	0	0	0



Report:

All staff members (100%) strongly agreed that the **advanced teaching-learning equipment is adequate for the implementation of the course**. No neutral or negative responses were recorded

